APPARATUS FOR REMOVING A FLUID COMPONENT FROM PARTICULIZED SOLID MATERIALS

5 The invention concerns apparatus for the removal of a fluid component, in particular of moisture from particulized solid materials, in particular from solid particulized food materials. The invention further concerns a process for the removal of these fluids from those materials, in particular 10 by using the apparatus according to the invention.

An apparatus for the conditioning of particulate or granular materials in a fluidized bed is disclosed in US 4 033 555. According to this document moisture can be

- 15 removed from materials such as a sand by providing a fluidized bed of the sand and subjecting the sand to an air stream with a predetermined flow pattern for circulating and mixing the material. The apparatus disclosed has a sieve plate provided with openings with a specific shape
- 20 through which the fluidizing gas is introduced in the apparatus. These openings stimulate the circulation and create controlled sprouting of the material in the vicinity of the walls and in this way an internal circulation of the material in the fluid bed is achieved, which prevents the
- 25 granular material from sticking together. This makes that this system can also be applied for non free flowing granular materials such as eg wet sand.

This apparatus however is not useful for removing moisture from particulized solid food materials because these

30 materials can be damaged easily during the treatment leading to the appearance of black spots due to overburning. Moreover this apparatus cannot be used in a

semi-continuous process as no provisions are given for the removal of the treated material. Also the heating of the gas is not efficient as no indications are given how the fluidizing gases are heated and/or how the rest heat

5 present in the exhaust gases can be applied in the process. Further the introduction of the fluidizing gases via the bottom of the sieve plate is not very efficient because these gases do not have a clear axial and tangential component. Herefore the openings in the sieve plate have to 10 have a very specific shape.

From US 4 875 435 an apparatus is known that can be applied for the combined drying and coating of pharmaceutical materials. Herefore the apparatus according to this US 15 patent is provided with spraying means for the coating. Although a fluidized bed is created above a sieve plate and gases are introduced that provide an axial component to the solid materials in the fluidized bed, the gas that provides the tangential component to these materials is introduced 20 above the sieve plate. We found that such an introduction of the latter gas does not lead to good results. Moreover the system disclosed herein has other disadvantages such as the fact that in the treatment chamber above the sieve plate areas are present wherein the fluidisation is not 25 optimal, which leads to non-hygenical conditions that are not allowable in the treatment of food products. Also hot spots will be present leading to local overburning of the food products and thus resulting in unacceptable products. Further the products cannot be removed from the system in a 30 way enabling a semi-continuous process.

A similar apparatus is disclosed in US 4 532 155. Therefore the same disadvantages are connected to the use of this apparatus as mentioned above.

5 According to US 3 908 045 an apparatus for the coating of detergent particles is provided with a perforated plate through which fluidizing gas is introduced sothat a fluidizable substance is coated in a fluidized bed.

Although air is introduced that provides a tangential 10 component to the particles it is not clear whether this air is introduced above or below the perforated plate.

According to US 4 866 858 or JP 54040480 the heat transfer in a fluidized bed can be improved if the fluidizing gas is 15 introduced as sequential streams (thus creating a kind of pulsated gas stream).

The use of a centrally positioned opening for the removal of the reaction product from a fluidized bed system is 20 disclosed in eg US 4.640 023.

We studied whether we could develop a novel apparatus and find a novel process which would enable us to remove a fluid component, in particular moisture from particulized 25 material, in particular particulized food products which would avoid the problems of the prior art mentioned above. This study resulted in our new inventions on an appartus and on a process. Therefore our invention concerns in the first instance a novel apparatus for the removal of a fluid 30 component from particulized solid materials comprising;

- a housing (1)

```
a perforated plate (2) separating the housing (1) into
                           a perrurated prace (3) and (4) chamber (4) being a gas
two chambers chambers
                                    introduction chamber and chamber (4) being a
                                                   reaction/orying chamber, whereby separated gas inlets chamber (3) is provided with two separated gas inlets
                                             reaction/drying chamber, whereby:
                                                                      gas inlet (5) being present in the bottom (7) of
                                                                               chamber (3) and Providing an axial direction to the
                                                                                             gas and (6) being present below the plate (2) and gas inlet (6)
                                                                                                      gas inter (b) perug present perow component to the gas providing a tangential direction component or and with a providing a tangential direction component or and with a contract of the gas and the component to the gas are to the gas and the component to the gas are to the gas
                                                                                                                providing a tangencial direction component to outlet the perforated plate (2) is provided with an outlet the perforated plate.
                                                                    (5) and (6)
                                                                                                                         opening (8), provided with a removable plug (9) for
5 -
                                                                                                                                         opening and crosing or outlet opening to solid Particulized material means (10) for feeding the solid Particulized material
                                                                                                                                   opening and closing of outlet opening (8)
                                                                                                                                                            a gas outlet 1/1) for the removal of the gases
                                   10 -
                                                                                                                20 In order to achieve that an efficient fluidisation of the
                                                                                                                                                  In order to achieve that an efficient shuldisation of the particles obtained wherein the particles and is obtained wherein romannation and a tangential wall of the particulized material and a tangential wall of the particulized material and a tangential wall of the particular and the particular and
                                                                                                                                                            particulized material is obtained, wherein the particles

obtain an axial and a tangential velocity component, while

obtain an axial and a reference material remains about the component.
                                                                                                                                                                     optain an axial and a tangential velocity component, while the simultaneously the particulized material remains above the simultaneously the particulized material remains and the particular remains a
                                                                             15 -
                                                                                                                                                                            simultaneously the particulized material remains above that we found that a perforated plate (2) during the processing, we found with perforated plate (2) during the processing, and a perforated plate (2) during the perforated material remains above the found that
                                                                                                                                                              periorated plate (2) during the processing, we round that the perforated plate (2) is provided with a provided plate (2) is provided with a periorated plate (2) is provided with a perforated plate (2) is provided with a perforation of and A mm
                                                                                                                                                                                             It is pest it the periorated plate (4) is provided with a diameter between 0.5 and 4 mm.

perforations (11) with a diameter trop total currence of the perforations (12) with a diameter trop total currence of the perforations (13) with a diameter between 0.5 and 4 mm.
                                                                                                                                                                                                     perrorations (11) with a diameter perween U.S and 4 mm. the total surface of the total surfac
                                                                                                                                                                                                              optimal results peing optained if the total surface of the total surface
                                                                                                                                                                                                                                        In order to achieve that the fluidized bed will obtain the
                                                                                                                                                                                                                                                 In order to achieve that the fluidized particles while the form of an annular bed of fluidized particles.
                                                                                                                                                                                                                           the total plate surface.
```

removal of the end product is facilitated we found that it is beneficial if plate (2) has a shape of a cone or a wok, while at the lowest point of the cone or wok outlet opening (8) is present.

5

The thickness of the plate (2) and the size of the perforations herein have an impact on the velocity of the tangentially introduced gas component and thus on the creation of the fluidized bed. Therefore we prefer to apply 10 a plate wherein the ratio between thickness (t) of plate (2) and diameter (d) of the perforations (11) in plate (2), i.e. t/d = 0.2-1.6.

The position for the inlet of the gas introduced via gas
15 inlet (6) has an impact on the efficiency of creating the
fluidized bed. We found that the best results were obtained
if gas inlet (6) is present at a point above 0.4h,
preferably at a point above 0.5h from the bottom of housing
(1), h being the height of chamber (3).

20

In order to control the temperature in the reaction chamber (4) we apply a heat sensor (12) in chamber (3) and preferably also a heat sensor (13) in chamber (4). The heat sensor(s) produce a signal that is applied to control the

25 temperature of the gas streams in inlets (5) and (6) through regulating means (14) for regulating the heating of these gas streams.

A device that can be used to obtain an efficient heat 30 transfer in the fluidized bed is a pulsator, preferably placed in the gas stream introduced via inlet (6). Herewith the velocity of this gas stream can be pulsated, resulting

in a fluidized bed wherein the distance between the individual particles can be changed during the processing. This pulsating preferably is performed with an amplitude between 0.25 and 10 Hertz.

5

In order to enable a semi-continuous process we found that the provision of an outlet opening (8) in plate (2) led to very suitable results. Therefore we prefer to use an apparatus wherein a plug (9) is attached to a plunger (19), 10 which plug (9) corresponds with the shape and size of outlet opening (8) in plate (2), which outlet opening has a diameter of 100-200 mm.

For an efficient energy consumption we found that it is

15 advantageous if in the gas outlet system (17) leaving
 chamber (4) an indirect heat exchanger (15) is present,
 whereas the gas in outlet (17) is in indirect heat exchange
 with the fresh gas (21) introduced in the system via inlets
 (5) and/or (6). The gas leaving heat exchanger (15) can be

20 split into two stream by using a valve (16) in heat
 exchanger (15), whereby the two gas streams are introduced
 into the system via inlets (5) and (6). The ratio wherein
 the gas streams are introduced via (5) and (6) can be
 controlled by the position of valve (16).

25

The invention also concerns a process for the removal of a fluid component from particulized solid material in a reactor, wherein the solid particulized material is fluidized by a preheated gas providing to the solid particles an axial velocity component and a preheated gas providing to the solid particles a tangential velocity component in such a way that during the heat treatment the

solid particles form a fluidized, annular bed of particles, at a temperature and for a time sufficient to remove the fluid component without overburning of the solid particulized material, whereupon the treated solid

5 particulized material is separated from the reactor as end product, while thereafter fresh solid particulized material, from which the fluid component still must be removed, is introduced in the reactor.

The best results were obtained when the gas providing the 10 tangential velocity component is introduced in the reactor below a perforated plate that forms a barrier between an introduction chamber for the treatment gases and a reaction chamber.

Gas velocities that can be applied for the fluidizing gas
15 can range from more than 0.5 m/sec, preferably more than
1.5 m/sec to less than 50 m/sec, preferably less than 10
m/sec. The best results being obtained when the gases that
provide the axial velocity component and the tangential
component are introduced in the introduction chamber in a

- 20 ratio V_{ax} : $V_{tang} = 0.1$ to 10 , V_{ax} being the velocity of the gas providing the axial component and V_{tang} being the velocity of the gas providing the tangential component. The gases should be introduced in the reactor with such a velocity that the solid particulized material that is
- 25 introduced above the perforated plate remains above the perforated plate in the form of an annular fluidized bed of solid particles.

The temperature that can be applied in the reaction chamber 30 (4) should be controlled carefully within a specific range, this can be achieved by introducing the gases into the reactor directly under the perforated plate (2) with a

temperature within the range of 180 - 350 oC, preferably 200 - 300 oC.

The most efficient energy consumption is achieved if the

5 temperature of the gases that are introduced in the reactor
is controlled by a the signal from a temperature sensor in
the introduction chamber of the reactor which signal is fed
to an indirect heat exchanger wherein fresh introduction
gas is in indirect heat exchange with gas removed from the

10 reactor. If a signal from a second heat sensor, but now
present in the reaction chamber is used as well for this
control an even more efficient temperature control is
possible.

15 The residence time of the particulized material in the reactor can range effectively between 15 and 90 sec, preferably between 20 and 60 sec.

Although we can subject all kinds of particulized food
20 products to the treatment according to the invention in
particular using the apparatus according to the invention
we found that very good and unexpected results were
obtained if the food material is grained rice and the fluid
component removed herefrom is water. The gas stream can be
25 selected from all inert, food grade gases but we prefer to
apply air or nitrogen as gas herefore.

In the drawing attached the apparatus according to the invention is schematically set out. As illustration of the 30 apparatus and the process of the invention the drawing and the use of the apparatus according to this drawing will be discussed into more detail.

Material to be dried, such as grained rice is fed from a hopper (10) into the reaction chamber (4) from a reactor comprising a housing (1) provided with a perforated plate

- 5 (2) with the shape of a wok and provided with perforations (11) with a size of about 2 mm and dividing housing (1) into a gas introduction chamber (3) and a reaction/drying chamber (4). A fluidizing gas is introduced with a velocity of 15 m/sec via gas inlets (5) in bottom (7) into chamber
- 10 (3). This gas stream gives the particles in chamber (4) an axial component. Simultaneously a gas is introduced with a velocity of 35 m/sec via gas inlets (6), directly below the plate (2). This gas gives a tangential component to the solid particles in chamber (4). In this way the solid
- 15 particulized material forms an annular fluidized bed in chamber (4). The gases introduced via inlets (5) and (6) are heated in heater (18) after being preheated in indirect heat exchange in heat exchanger (15) with the gases leaving the system via outlet (17). The temperature of the gases
- 20 introduced via (5) and (6) is controlled by heat sensors (12) and (13) present in chambers (3) and (4) respectively. The heat sensors produce a signal which is fed to heat regulating means (14) connected with heater (18) and valve (16) therein. In order to be able to interrupt the
- 25 processing and to remove dried product from the reactor an opening (8) is present in the plate (2), which opening (8) is provided with a plug (9) corresponding in shape and size with opening (8) and which plug is closing opening (8) during the drying process but can be lifted using a plunger
- 30 (19) after interrupting the gas supply to the system. The dried product is removed via a duct which is connected with a separator (20) wherein the product is cooled and

separated from excess gas. The exhaust gases leaving the system via outlet (17) are led to a separator (24), preferably being a cyclone, wherein the dust and the gas are separated, whereupon the gases are led to heat 5 exchanger (15) to which also fresh gas is led via inlet (21). A fan (22) is used for the transport of the gas. Valve (16) is used for the division of the gas from fan (22) into two streams (5) and (6) in the desired ratio.